

Storage Reinvented



Product Overview

IBM XIV Storage System



Groundbreaking Grid Architecture for the Enterprise

The IBM XIV® Storage System is a revolutionary high-end open disk system designed to support key current and future business requirements for a highly available information infrastructure. Its design is a grid of standard Intel®/Linux® components, connected in any-to-any topology using Gigabit Ethernet. This groundbreaking architecture provides outstanding performance, scalability, and reliability. It is a core component of the IBM Information Infrastructure which helps clients address their needs for availability, security, compliance and retention of information.

Superior Performance

Massive parallelism

The XIV system's massively parallelized architecture, optimal exploitation of all system components (including disks, CPUs, and switches), and unique caching architecture all translate into excellent performance.

No hot spots

The unique balancing of all data across system components prevents the occurrence of hot spots. With all components working under the same load, performance and reliability are exceptional.

SATA drives for enterprise

The XIV system uses SATA disk drives, capitalizing on the latest in SATA technology to provide huge capacities, high density, and low power consumption. It leverages XIV's unique architecture and caching scheme to deliver high performance that can even outperform FC disk-based systems.

Scalability

The XIV technology is designed to be scalable in all key aspects, including storage, interfaces, cache, CPU power, and internal bandwidth. The architecture supports each aspect to grow independently, yielding a truly scalable system in both capacity and performance.

Total Reliability

N+1 protection

The XIV platform provides unprecedented data protection and availability. All disk drives, modules, switches, and UPS units are fully redundant in an active-active N+1 scheme, ensuring high reliability and excellent performance.

Near-instant self-healing

Protection against disk failure is provided by a revolutionary rebuild process that brings the system back to full redundancy in minutes. The XIV system takes self-healing to the next level: it resumes redundancy even after failures in components other than disks.

Full Snapshot Features

Near-unlimited snapshots, with high performance


The XIV system's unique approach to snapshotting overcomes traditionally known drawbacks and enables a virtually unlimited number of differential snapshots. It does so without any significant impact to performance, no matter how many snapshots are created.

Instant snapshot creation, copy, and restore

The XIV system creates snapshots in practically zero time, providing immediate availability.

Remote mirroring

Remote mirroring provides protection, even against complete site failure situations.



Ease of Management

True system virtualization


Virtualization is inherent to the basic principles of XIV's unique design. Physical drive location and data placement are invisible to the user. This dramatically simplifies storage provisioning, letting the system lay out the user's volume in an optimal way.

Simple GUI

A simple and intuitive GUI enables administrators to manage and monitor all system aspects easily, with practically no learning curve.

Self-tuning

XIV's full data virtualization capability provides automatic, behind-the-scenes distribution of data across all major hardware components at all times. This results in dramatically reduced management efforts and a system that is optimally tuned throughout changes in capacity, configuration, or application behavior.



Easy management through a powerful and intuitive administrator environment

Low Total Cost of Ownership (TCO)

Economical SATA drives

The XIV system leverages the leap in disk drive technology—and without compromising performance or reliability. The bottom line is an always-on system with huge capacities, high density, and considerable savings in power, cooling, and floor space.

Disk space: More with less

The XIV system optimizes the allocation of data per disk, module, and across modules, while totally eliminating orphaned space. Differential snapshots further economize on disk space. The end result is greater use of disk capacity and the ability to meet the same needs using less disk space than with a traditional system.

Needs-reducing thin provisioning

The XIV system's thin provisioning capability allows logical volumes to exceed physical capacity, while the latter only need be large enough to contain the data actually written. This flexibility and XIV technology scalability offer dramatic savings in storage, power, and space costs, and a budget-accommodating approach to growing physical capacity over time.

Minimal use of power and space

With its use of SATA drives and optimized use of disk capacity, the XIV system provides outstanding power consumption efficiency per TB while taking up less physical space for a given capacity.



Storage Reinvented

For more information

To learn more about IBM XIV Storage System, contact your IBM representative or IBM Business Partner, or visit:

www.xivstorage.com



© Copyright IBM Corporation

2008

IBM Systems and Technology Group

Route 100

Somers, NY 10589

U.S.A.

Produced in the United States of America

August 2008

All Rights Reserved

IBM, the IBM logo, ibm.com, System Storage, XIV and

the XIV logo are trademarks or registered trademarks of

International Business Machines Corporation in the

United States, other countries, or both. These and other

IBM trademarked terms are marked on their first occurrence in this

information with the appropriate symbol

(® or ™), indicating US registered or common law trademarks owned by

IBM at the time this information was published. Such trademarks may also be

registered or common law trademarks in other countries. A current list of

IBM trademarks is available on the Web at ibm.com/legal/copytrade.shtml.

Other company, product, or service names may be trademarks or service marks of others.

This document could include technical inaccuracies or typographical errors. IBM may

not offer the products, services or features discussed in this document in other

countries, and the product information may be subject to change without notice.

Consult your local IBM business contact for information on the product or services

available in your area. Any statements regarding IBM's future direction and intent are

subject to change or withdrawal without notice, and represent goals and objectives

only. The information contained in this document is current as of the initial date of

publication only and is subject to change without notice. All performance information

was determined in a controlled environment. Actual results may vary. Performance

information is provided "AS IS" and no warranties or guarantees are expressed or

implied by IBM. Information concerning non-IBM products was obtained from the

suppliers of their products, their published announcements or other publicly available

sources. Questions on the capabilities of the non-IBM products should be addressed

with the suppliers. IBM does not warrant that the information offered herein will meet

your requirements or those of your distributors or customers. IBM provides this

information "AS IS" without warranty. IBM disclaims all warranties, express or implied,

including the implied warranties of noninfringement, merchantability and fitness for a

particular purpose or noninfringement. IBM products are warranted according to the

terms and conditions of the agreements under which they are provided.



Recyclable, please recycle.

TSD03057-USEN-00

IBM®